	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	3992	(382/141,190,197,199,203).CCLS.	US-PGPUB; USPAT	2007/02/26 10:18	
2	IS&R	L2	336	(348/86,92).CCLS.	US-PGPUB; USPAT	2007/02/26 10:19	
3	BRS	L3	163	extract$3 same (edge$4 or contour$1 or outline$1) same (direction$1 or position$3 or location$1) same (inspect$4 or measur$6 or examin$6) same (borows$3 or navigat$4 or search$4 or find$3)	US-PGPUB; USPAT	2007/02/26 10:22	
4	BRS	L4	108	3 same (imag$3 or picture$1 or photo$6 or video)	US-PGPUB; USPAT	2007/02/26 10:23	
5	BRS	L6	14	1 and 4	US-PGPUB; USPAT	2007/02/26 10:43	
6	BRS	L7	38	((contour$1 or outline$1 or boundar$3) near5 extract$4) same (edge$4 near5 search$3)	US-PGPUB; USPAT; JPO	2007/02/26 10:44	
7	BRS	L8	15	7 same ((position$3 or location$1 or direct$4) near6 edge$4)	US-PGPUB; USPAT; JPO	2007/02/26 10:48	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L9	2659	382/199	US-PGPUB; USPAT; JPO	2007/02/26 10:48	
9	BRS	L10	16	7 and 9	US-PGPUB; USPAT; JPO	2007/02/26 11:07	
10	BRS	L11	19	(edge$1 near5 (position$3 or location$1)) same voronoi	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:08	
11	BRS	L12	5	11 same search$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:10	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	L13	18	(search$3 near5 edge$1 near5 pattern$1) same (outline$1 or contour$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:11	
13	BRS	L14	17	13 same (position$3 or location$1 or direction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:18	
14	BRS	L15	1	14 and lattice$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:19	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	L16	9	(polygon$2 or lattice$1) same (edge$1 near5 search$4) same (position$3 or location$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:23	
16	BRS	L17	467	(polygon$2 or lattice$1 or shape$1) same (edge$1 or position$3 or location$1) same search$3 same (inspect$4 or test$3 or examin$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:24	
17	BRS	L18	29	17 same (search$3 near5 edge$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:25	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	L19	1	18 same coefficient$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:25	
19	BRS	L20	846	(edge$1 near3 (position$3 or location$1)) same (polygon$2 or shape$1) same (weigh$3 or kernel$1 or coefficient$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:26	
20	BRS	L21	81	20 same (test$3 or inspect$4 or measur$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:27	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
21	BRS	L22	2	21 same (vertex$2 or corner$1 or intersect$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:28	
22	BRS	L23	2	20 same (search$4 near5 edge$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:28	
23	BRS	L24	57	(polygon$2 or voronoi) same (search$4 near5 edge$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:32	

2/26/07, EAST Version: 2.1.0.14

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
24	BRS	L25	26	24 same (contour$1 or outline$1 or boundar$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:29	
25	BRS	L26	2	1 and 25	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:30	
26	BRS	L27	0	25 same (coefficient$1 or weight$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:30	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	L28	11	25 and (coefficient$1 or weigh$4 or kernel$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:31	
28	BRS	L29	33	(polygon$2 or voronoi) same (search$4 near2 edge$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:32	
29	BRS	L30	22	29 and (edge$1 near3 (position$3 or location$1 or direction$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:33	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	L31	5	30 and voronoi	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:35	
31	BRS	L32	94	(extract$3 near5 contour$1) and pattern and (polygon$2 or lattice$1 or voronoi) and (edge$1 near3 (position$3 or location$1)) and (kernel$1 or weigh$4 or coefficient$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:48	
32	BRS	L33	54	32 and inspect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:48	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
33	BRS	L34	54	33 and pattern$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:48	
34	BRS	L35	4	1 and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT	2007/02/26 11:48	
35	BRS	L36	5	((edge$1 near4 search$3) near10 (polygon$2 or voronoi)) same imag$3	USPAT	2007/02/26 11:52	
36	BRS	L37	1100	edge$1 same weigh$4 same coefficient$1	USPAT	2007/02/26 12:06	
37	BRS	L38	234	37 same imag$3	USPAT	2007/02/26 12:07	
38	BRS	L39	51	38 same (location$1 or position$3)	USPAT	2007/02/26 12:07	
39	BRS	L40	54	38 same (location$1 or position$3 or coordinate$1)	USPAT	2007/02/26 12:07	
40	BRS	L41	4	40 same (polygon$2 or lattice$1 or shape$1)	USPAT	2007/02/26 12:10	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
41	BRS	L42	11	(edge$1 near3 (position$3 or coordinate$1 or location$1)) same coefficient$1 same (contour$1 or outline$1)	USPAT	2007/02/26 12:12	
42	BRS	L43	13	(edge$1 near3 (position$3 or coordinate$1 or location$1)) same (weigh$4 or coefficient$1 or kernel$1) same inspect$4	USPAT	2007/02/26 14:49	
43	BRS	L44	0	382/141,199	USPAT	2007/02/26 14:49	
44	IS&R	L45	2245	(382/199,141).CCLS.	US-PGPUB; USPAT	2007/02/26 14:50	
45	BRS	L46	2518	((search$4 or locat$3 or find$3 or track$3 or trac$3) near7 (edge near3 (position$3 or coordinate$1 or location$1))) same (shape$1 or geometric$2 or polygon$2 or voronoi)	US-PGPUB; USPAT	2007/02/26 14:52	
46	BRS	L47	204	46 same (inspect$4 or test$3 or measur$6)	US-PGPUB; USPAT	2007/02/26 14:53	
47	BRS	L48	8	45 and 47	US-PGPUB; USPAT	2007/02/26 14:56	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	L49	40159	edge$1 near1 position$3	US-PGPUB; USPAT	2007/02/26 14:56	
49	BRS	L50	254	49 same search$3	US-PGPUB; USPAT	2007/02/26 14:57	
50	BRS	L51	6	50 same polygon$2	US-PGPUB; USPAT	2007/02/26 15:00	
51	BRS	L52	43	(extract$4 near3 (outline$1 or contour$1)) same (edge$1 near1 (position$3 or location$1 or coordinate$1))	US-PGPUB; USPAT	2007/02/26 15:02	
52	BRS	L53	33	52 and (coefficient$1 or weigh$5)	US-PGPUB; USPAT	2007/02/26 15:02	
53	BRS	L54	11	53 and inspect$4	US-PGPUB; USPAT	2007/02/26 15:08	
54	BRS	L55	2	micro-pattern same measur$6 same sample	US-PGPUB; USPAT	2007/02/26 15:10	
55	BRS	L56	1	"5930391".pn.	US-PGPUB; USPAT	2007/02/26 15:12	
56	BRS	L57	1	"6181818".pn.	US-PGPUB; USPAT	2007/02/26 15:13	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	L58	7	(pattern$1 near5 inspect$4) same (contour$1 or outline$1) same (edge$1 near2 (position$3 or location$1 or coordinate$1))	US-PGPUB; USPAT	2007/02/26 15:14	

Printed by EAST

UserID:	DMariam
Computer:	WS07216
Date:	2/26/07
Time:	3:21 PM

Refine Search

Search Results -

Terms	Documents
L29 same (coefficient or weigh$4 or kernel)	1

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L30

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: Monday, February 26, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
\multicolumn{4}{|l|}{*DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ*}			
L1	extract$4 same contour same edge$4	1342	L1
L2	L1 same lattice	4	L2
L3	contour same (contour or edge) same (position$3 or locat$4) same weight same (lattice or grid$4)	23	L3
L4	L3 same imag$3	1	L4
L5	l1 and polygon$3	216	L5
L6	L5 and (edge near5 (locat$4 or position$3))	96	L6
L7	L6 and ((find$3 or search$3) near10 edge$4)	53	L7
L8	L7 and lattice	2	L8
L9	(search$3 near10 edge near3 (locat$4 or position$3))	814	L9
L10	L9 same imag$3	289	L10
L11	L10 same (lattice or grid$4 or polygon$2)	1	L11
L12	l10 and ((lattice or grid$4) near10 weigh$4)	4	L12

L13	extract$4 same contour same pattern same edge$4 same search$4	22	L13
L14	L13 same (position$3 or locat$4)	14	L14
L15	L14 same (geometric$2 or polygon$3 or grid$4 or lattice$1 or star)	1	L15
L16	7177480.pn.	1	L16
L17	pattern same (inspect$4 or measur$6 or examin$6) same contour same edge same search$3	19	L17
L18	L17 and ((contour or outline) near3 extract$4)	8	L18
L19	6772089.pn.	2	L19

DB=USPT,PGPB; PLUR=YES; OP=ADJ

L20	('4804831'| '5065344'| '5572602'| '6173070'| '6263089'| '6335985')![pn]	6	L20

DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ

L21	(search$3 near10 edgeL near5 (direction or position$3 or location)) same extract$4	0	L21
L22	(search$3 near10 edge near5 (direction or position$3 or location)) same extract$4	83	L22
L23	L22 same imag$3	62	L23
L24	L23 and voronoi	1	L24
L25	L23 same (graph$4 or geometr$5 or polygon$2)	7	L25
L26	search$3 near5 edge near5 pattern	156	L26
L27	L26 same direction	48	L27
L28	L27 same imag$3	32	L28
L29	L28 same (contour or outline or polygon$2)	14	L29
L30	L29 same (coefficient or weigh$4 or kernel)	1	L30

END OF SEARCH HISTORY

Google

searching edge pattern inspecting image extra | Search |

Web   Results **1 - 10** of about **824,000** for <u>searching</u> <u>edge</u> <u>pattern</u> <u>inspecting</u> <u>image</u> <u>extract</u>. (0.36 seconds)

Keith Price Bibliography Matching Linear Features

Inexact matching of line drawings in a syntactic **pattern** recognition ... **Edge** Feature
Analysis by a Vectorized Feature **Extractor** and in Multiple Edges, ...
www.visionbib.com/bibliography/match-pl514.html - 53k - <u>Cached</u> - <u>Similar pages</u>

Image Analysis and Processing- Developer Zone - National Instruments

Using **Edge** Detection to Position a Region of **Inspection**. **Pattern** Matching. **Pattern**
matching locates regions of a grayscale **image** that match a predetermined ...
zone.ni.com/devzone/cda/tut/p/id/3470 - 41k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Online distance recovery for a sewer **inspection** robot - **Pattern** ...

File Format: PDF/Adobe Acrobat
A simplified. Hough transform is applied to the **edge image**, which. takes into account the
restricted **search** range from 1. Figure 3 ...
ieeexplore.ieee.org/iel5/7237/19577/00905386.pdf - <u>Similar pages</u>

[PDF] An automatic wafer **inspection** system using pipelined **image** ...

File Format: PDF/Adobe Acrobat
matic **pattern inspection** system based on **image** analysis. is being strongly suggested ...
binary **edge images** of the input **image**. Details of the cir- ...
ieeexplore.ieee.org/iel1/34/216/00003863.pdf?arnumber=3863 - <u>Similar pages</u>

[PDF] Searching Online Journals for Fluorescence Microscope Images ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
119-128. **Searching** Online Journals for Fluorescence Microscope **Images** Depicting
Protein. Subcellular Location **Patterns**. Robert F. Murphy, Meel Velliste, ...
murphylab.web.cmu.edu/publications/80-murphy2001.pdf - <u>Similar pages</u>

S&TR | November 2006: Extracting Key Content from Images

GDM has also been successfully used in NIF optics **inspection** to **search** for diffraction
patterns that signal defects. "GDM has been a gold mine for us," says ...
www.llnl.gov/str/Nov06/Paglieroni.html - 36k - <u>Cached</u> - <u>Similar pages</u>

Sensors - June 2001 - Vision Fundamentals

Edge detection; **Pattern** matching; Grayscale morphology ... If you can **extract** a clue
regarding rotation from the **image**, you can simply rotate the template ...
archives.sensorsmag.com/articles/0601/44/main.shtml - 27k - <u>Cached</u> - <u>Similar pages</u>

[PDF] LNCS 3804 - Large-Scale Geospatial Indexing for Image-Based ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Techniques that facilitate **search** and retrieval based on **image** content, ... local **edge**
patterns (LEP) [12]. In the rotation-invariant LBP texture operator, ...
www.ornl.gov/sci/ismv/pdfs/publications/GISPaper%20(On-line%20Published%2011-30-
05).pdf - <u>Similar pages</u>

Apparatus and method for **inspecting patterns** on wafers - Patent ...

The **pattern inspecting** apparatus further comprises an internal memory 56 and an
arithmetic module 60 activated during a procedure to **extract** reference **image** ...
www.freepatentsonline.com/7155366.html - 48k - <u>Cached</u> - <u>Similar pages</u>

Machine vision system

Precision machine vision **inspection** systems can be used to obtain precise ... **Search** tools
enable a previously trained/stored **image pattern** to be acquired ...
www.electronics-manufacturers.com/info/video-equipment/machine-vision-system.html - 39k
- Cached - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

searching edge pattern inspecting in **Search**

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google

Web   Images   Video   News   Maps   **more »**

searching edge pattern inspecting image extra   [Search]   Advanced Search
Preferences

Web Results **11 - 20** of about **824,000** for <u>searching edge pattern inspecting image extract</u>. (**0.18** seconds)

[PDF] **Searching** Online Journals for Fluorescence Microscope **Images ...**
File Format: PDF/Adobe Acrobat
indicate the feasibility of developing **search** engines to. find fluorescence microscope
images depicting particular. subcellular **patterns**. Introduction ...
doi.ieeecomputersociety.org/10.1109/BIBE.2001.974420 - Similar pages

[PDF] ICPR'00: Online Distance Recovery for a Sewer **Inspection** Robot
File Format: PDF/Adobe Acrobat
the sewer **image** to reduce the impact of small. structures on **edge** extraction. Second, a
9x9 Laplace. Proceedings of the International Conference on **Pattern** ...
doi.ieeecomputersociety.org/10.1109/ICPR.2000.905386 - Similar pages

[PDF] Block-Based Methods for **Image** Retrieval Using Local Binary **Patterns**
File Format: PDF/Adobe Acrobat
was the **edge** histogram [10], that operates with **image** blocks and is included ...
conventional **search** window approaches as it does not **extract** features for ...
www.springerlink.com/index/C91H56KB4QJB5T3X.pdf - Similar pages

Method of analyzing visual **inspection image** data to find defects ...
5475766 "**Pattern Inspection** Apparatus With Ocrner Rounding of Reference ... The array
area template is formed by using color segmentation to **extract** the ...
www.freepatentsonline.com/6330354.html - 63k - Cached - Similar pages

[PDF] An Empirical Study on Corner Detection to **Extract** Buildings in ...
File Format: PDF/Adobe Acrobat - View as HTML
Tracking During Power Line **Inspection**, **Image** and Vision. Computing, 21: 827-840, 2003.
... SUSAN Method for **Image Edge** and Feature Detection, IEEE ...
telin.ugent.be/~leydenmf/publications/ProRisc2004.pdf - Similar pages

Real-time automated visual **inspection** of color tablets in ...
In training mode, the **image** of defect-free blisters is used to **extract** the ... region and **edge**
segmentation outputs. **Pattern** Recognition 1998;31:105-13. ...
portal.acm.org/citation.cfm?id=942461 - Similar pages

[PDF] Gaze-Centric **Image** Analysis for Efficient Visual **Search** Umesh ...
File Format: PDF/Adobe Acrobat - View as HTML
strongly influenced by low-level **image** features such as contrast and **edge** density. Given.
the rapidity and sheer volume of saccades during **search** tasks, ...
live.ece.utexas.edu/publications/2006/ur_spie_newsroom.pdf - Similar pages

[PDF] Automated verification technology using CAD data
File Format: PDF/Adobe Acrobat
In the next step, a radial **search** of **pattern** [D] is. triggered by **edge patterns** in [C]. ...
wiring **pattern inspection** technologies. Circuit Pat- ...
dx.doi.org/10.1002/(SICI)1520-684X(19990630)30:7%3C27::AID-SCJ4%3E3.0.CO;2-F -
Similar pages

Gaze-centric **image** analysis for efficient visual **search**
Despite recent advances in computer vision, **pattern** recognition, and **image** ... T. L. Arnow,
A. C. Bovik, Finding corners in **images** by foveated **search**, Proc. ...

newsroom.spie.org/x3117.xml?highlight=x533 - 21k - Cached - Similar pages

[PDF] Machine Vision and Scientific Image Processing Software
File Format: PDF/Adobe Acrobat - View as HTML
morphology, **edge** detection, filtering, **image** processing, and. **pattern ... Pattern** Matching.
Learn **Pattern**. **Search Pattern**. Color. Learn Color. MatchColor ...
oldserver.ba.infn.it/~CMS_TRKR/gantry_files/imaq.pdf - Similar pages

Result Page: **Previous** 1 **2** 3 4 5 6 7 8 9 10 11   **Next**

---

searching edge pattern inspecting in [Search]

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google